


- 3m wide footpath.
- No geotextile membrane required.
- Scrape off existing surface back to good solid ground.
- 100mm MOT sub base where required to achieve firm base and camber/crossfall - rolled and compacted.
- 40mm Hopkins Hop path surface course - rolled and compacted.
- All arisings to be retained on site and regraded into landscape.
- Minimise disturbance to tree roots - hand dig where necessary.

Wooden revetment board required to retain path where it is falling away

Tie path into bridge and steps

ENVIRONMENTAL SERVICES DEPARTMENT	
Hall House Lane Leigh	
Proposed Footpath	
DRAWING NUMBER XXXX	
DRAWN: MEO	CHECKED: SD
DATE: SEP 11	SCALE: 1:2500@A4
Environmental Services Department (Engineering - Highways Services) Wigan Council P. O. Box 86 Civic Buildings New Market Street Wigan WN1 1RP Tel: (01942) 244981 Fax: (01942) 404210	
AMENDMENTS	DATE
Based upon the Ordnance Survey mapping with the permission of the Controller of Her Majesty's Stationery Office. © Crown Copyright. Unauthorised reproduction infringes Crown Copyright and may lead to prosecution or civil proceedings. Wigan MBC Licence No. 100019576	
 Wigan Council	